L Number	Hits	Search Text	DB	Time stamp
1	43	@ad<19991216 and override with mute	USPAT;	2004/03/29 12:39
	_		US-PGPUB;	
			IBM TDB	
2	0	(@ad<19991216 and override with mute) and	USPAT;	2004/03/29 12:39
		dsp	US-PGPUB;	
		-	IBM TDB	
3	30	(@ad<19991216 and override with mute) and	USPAT;	2004/03/29 13:01
		digital and analog	US-PGPUB;	
-			IBM TDB	
4	0	(@ad<19991216 and override with mute) and	USPAT;	2004/03/29 13:01
		713/200.ccls.	US-PGPUB;	
			IBM TDB	
5	1165	@ad<19991216 and 713/200.ccls.	USPAT;	2004/03/29 13:02
			US-PGPUB;	
			IBM_TDB	
9	81	@ad<19991216 and 455/194.1.ccls.	USPAT;	2004/03/29 13:03
			US-PGPUB;	
			IBM_TDB	
-	10	(@ad<19991216 and digital adj signal adj	USPAT;	2004/03/25 12:17
		processor) and authorization adj signal	US-PGPUB;	
			IBM_TDB	
-	1	(@ad<19991216 and digital adj signal adj	USPAT;	2004/03/25 12:16
		processor) and authorization same mute	US-PGPUB;	
			IBM_TDB	
-	0	(@ad<19991216 and digital adj signal adj	USPAT;	2004/03/25 12:17
		processor) and authoriz\$5 same mute and	US-PGPUB;	[
ļ		713/\$.ccls.	IBM_TDB	
-	11		USPAT;	2004/03/25 12:20
		processor) and mute and 713/\$.ccls.	US-PGPUB;	
			IBM_TDB	
-	134	712/35.ccls. and @ad<19991216	USPAT;	2004/03/28 10:10
			US-PGPUB;	
	_		IBM_TDB	0004/02/05 10 00
-	2	(712/35.ccls. and @ad<19991216) and	USPAT;	2004/03/25 12:20
		authoriz\$6	US-PGPUB;	
		(810/05 ) 0 1:10001016) 1 1	IBM_TDB	2004/03/25 12-22
-	4	(712/35.ccls. and @ad<19991216) and mute	USPAT;	2004/03/25 12:22
1			US-PGPUB;	
		710/60 - 1 1 0 - 1 1 0 0 1 0 1 6	IBM_TDB	2004/03/25 12:27
-	71	710/69.ccls. and @ad<19991216	USPAT;	2004/03/23 12:27
			US-PGPUB;	
	,	(710/601	IBM_TDB USPAT;	2004/03/25 12:27
_	1	(710/69.ccls. and @ad<19991216) and authoriz\$5	US-PGPUB;	2004/03/23 12.27
		authorizəs	IBM TDB	
I _	10007	And 19991216 and digital add dignal add	USPAT;	2004/03/26 09:11
-	18887	@ad<19991216 and digital adj signal adj	US-PGPUB;	2003/03/20 03:11
		processor	IBM TDB	
I _	5283	(@ad<19991216 and digital adj signal adj	USPAT;	2004/03/26 09:12
	5203	processor) and (processor dsp) same	US-PGPUB;	
		(authoriz\$6 allow\$2 approv\$3)	IBM TDB	
_	12	• • • • • • • • • • • • • • • • • • •	USPAT;	2004/03/26 09:14
		processor) and (processor dsp) same	US-PGPUB;	
		(authoriz\$6 allow\$2 approv\$3) same mute	IBM TDB	
_	1171	(@ad<19991216 and digital adj signal adj	USPAT;	2004/03/26 09:15
		processor) and (processor dsp) same	US-PGPUB;	
	1	(disable\$2)	IBM TDB	
_	4	(@ad<19991216 and digital adj signal adj	USPĀT;	2004/03/26 09:15
	1	processor) and (processor dsp) same	US-PGPUB;	
		(disable\$2) same (authoriz\$5)	IBM TDB	
_	2969262	@ad<19991216	USPAT;	2004/03/26 11:02
			US-PGPUB;	
			IBM TDB	
-	312	@ad<19991216 and processor same disable	USPAT;	2004/03/26 11:03
	<b>-</b>	adj signal	US-PGPUB;	
			IBM TDB	
-	175	@ad<19991216 and converter same disable	USPAT;	2004/03/26 11:03
	1	adj signal	US-PGPUB;	
			IBM_TDB	
L	1	<u> </u>		J

-	41	@ad<19991216 and analog same digital same	USPAT;	2004/03/26 11:05
		converter same disable adj signal	US-PGPUB;	
			IBM_TDB	
-	2		USPAT;	2004/03/26 11:04
		converter same disable adj signal) and	US-PGPUB;	
		digital adj signal adj processor	IBM_TDB	
-	1	@ad<19991216 and analog same digital same	USPAT;	2004/03/26 11:05
		converter same disable adj signal same	US-PGPUB;	
		mute	IBM_TDB	
-	1	@ad<19991216 and analog same digital same	USPAT;	2004/03/26 11:07
		converter same disable adj signal same	US-PGPUB;	
		mute\$1	IBM TDB	
-	2	@ad<19991216 and analog same digital same	USPAT;	2004/03/26 11:07
		converter same disable adj signal and	US-PGPUB;	
		mute\$1	IBM_TDB	
-	2969262	@ad<19991216	USPAT;	2004/03/28 10:10
			US-PGPUB;	
			IBM TDB	
-	0	((@ad<20001109 and message with (signed	USPAT;	2004/03/28 10:11
		signature) and database with signature)	US-PGPUB;	
		and (e-mail email)) and dsp same disable	IBM TDB	
		adj signal	_	
-	0	((@ad<20001109 and message with (signed	USPAT;	2004/03/28 10:11
		signature) and database with signature)	US-PGPUB;	
		and (e-mail email)) and processor same	IBM TDB	
1		disable adj signal	_	
-	312	@ad<19991216 and processor same disable	USPAT;	2004/03/28 10:11
		adj signal	US-PGPUB;	
			IBM TDB	
-	18	@ad<19991216 and dsp same disable adj	USPAT;	2004/03/28 10:14
		signal	US-PGPUB;	
			IBM TDB	
_	175	@ad<19991216 and converter same disable	USPAT;	2004/03/28 10:14
		adj signal	US-PGPUB;	
			IBM TDB	
_	42	@ad<19991216 and analog with converter	USPĀT;	2004/03/28 10:17
		same disable adj signal	US-PGPUB;	
			IBM TDB	
_	0	@ad<19991216 and analog with converter	USPĀT;	2004/03/28 10:17
		same disable adj signal same mute	US-PGPUB;	
		,	IBM TDB	
-	175	@ad<19991216 and converter same disable	USPAT;	2004/03/28 10:25
		adj signal	US-PGPUB;	
	į		IBM TDB	
_	1	@ad<19991216 and converter same disable	USPĀT;	2004/03/28 10:18
		adj signal same mute	US-PGPUB;	
			IBM TDB	
-	0	@ad<19991216 and (adc) same disable adj	USPAT;	2004/03/28 10:21
		signal same mute	US-PGPUB;	
		-	IBM TDB	
-	5	@ad<19991216 and (adc) same disable adj	USPĀT;	2004/03/28 10:22
	ĺ	signal	US-PGPUB;	
			IBM TDB	
-	6	@ad<19991216 and mute same disable adj	USPĀT;	2004/03/28 10:23
		signal and analog with converter	US-PGPUB;	
			IBM TDB	
-	0	@ad<19991216 and dac same disable adj	USPĀT;	2004/03/28 10:27
		signal same mute	US-PGPUB;	
			IBM_TDB	,
-	1	@ad<19991216 and converter same disable	USPĀT;	2004/03/28 10:27
		adj signal same mute	US-PGPUB;	
			IBM_TDB	
-	0	@ad<19991216 and d/a same disable adj	USPĀT;	2004/03/28 10:27
		signal same mute	US-PGPUB;	
			IBM_TDB	
-	3	@ad<19991216 and analog same disable adj	USPĀT;	2004/03/28 10:27
		signal same mute	US-PGPUB;	
			IBM_TDB	
-	13	@ad<19991216 and converter same disable	USPĀT;	2004/03/28 10:55
		with mute	US-PGPUB;	
			IBM_TDB	

-	1	5297203.pn.	USPAT;	2004/03/28 10:50
}			US-PGPUB;	
			IBM TDB	
-	36	@ad<19991216 and "digital-to-analog	USPĀT;	2004/03/29 08:56
		converter" same mute	US-PGPUB;	
			IBM TDB	
-	10	@ad<19991216 and "digital-to-analog	USPĀT;	2004/03/29 12:39
		converter" same mute and digital adj	US-PGPUB;	
		signal adj processor	IBM TDB	